RECEIVED CENTRAL FAX CENTER

APR 3 0 2004

Guerin & Rodriguez, LLP

ATTORNEYS AT LAW

5 MOUNT ROYAL AVENUE MOUNT ROYAL OFFICE PARK

OFFICE (508) 303-2003 MARLBOROUGH, MASSACHUSETTS 01752 FAX (508) 303-0005

TELECOPY COVER SHEET

EQUIPMENT OPERATOR CONTACT NUMBER: 508-303-0932. PLEASE CALL IF YOU DO NOT RECEIVE ALL THE PAGES.

TO:

EXAMINER YAHVEH COMAS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, DC 20231

Telephone (571) 272-2020

FAX

(703) 872-9318

FROM:

Sender Name: William G. Guerin (Reg. No. 41,047)

Number of Pages INCLUDING This Cover Sheet: 12

RE:

Response to Office Action dated March 1, 2004

Application Serial No.: 10/615,895

Attorney Docket No. CPW-001

COMMENTS: Please confirm receipt of this facsimile by return receipt.

Note that previous attempt to fax this response today failed, only three pages were received according to the auto-reply facsimile for the 10:16 am transmission.

This facsimile is subject to attorney-client privilege and contains confidential information intended only for the person(s) named above. If you have received this facsimile in error, please notify us immediately by telephone and destroy the original transmission without making a copy.

Sent by WG_ Date sent 4/30/04 Time sent 10:37am

Atty, Docket No. CPW-001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE CENTRAL FAX CENTER

APPLICANTS:

Jones et al.

CONFIRMATION NO.

APR 3 0 2004 9857

SERIAL NUMBER:

10/615,895

GROUP NUMBER:

2834

FILING DATE:

July 9, 2003

EXAMINER:

Comas, Yahveh

TITLE:

NESTED STATOR COILS FOR PERMANENT MAGNET

MACHINES

I hereby certify that this correspondence is being transmitted by facsimile to the United States Patent and Trademark Office, addressed to Examiner Comas at (703) 872-9318 on the date shown below:

Date: April 30, 2004

Assistant Commissioner for Patents

Washington, D.C. 20231

Amendment and Response

Sir:

This paper responds to the non-final Office Action mailed from the United States Patent and Trademark Office on March 1, 2004.

Please enter the following amendments to the application identified above in the following manner: